

COMPLETE
PRODUCT
CATALOGUE
2026



Premium Acrylic, Plastic &
Metal Sheet **Solutions**

COMPLETE PRODUCT CATALOGUE

Wide Range of High-Quality Sheets,
Boards, Profiles & Display Materials
for Every Application

PRODUCT CATEGORIES INCLUDED

- Acrylic Sheets
- Mirror Sheets
- Polycarbonate Sheets
- PVC Sheets
- ACP Panels
- MDF & WPC Boards
- LED Solutions
- Aluminum & Fabric Profiles
- Industrial Plastic Materials



PREMIUM
QUALITY



WIDE
RANGE



BEST
PRICE



ON-TIME
DELIVERY



New Delhi, India



+91 99990 31962



rpaimex2004@gmail.com

PREMIUM QUALITY

WIDE RANGE

BEST PRICE

ON-TIME DELIVERY

ABOUT RPA IMPEX

RPA IMPEX is a trusted supplier and distributor of premium-quality Acrylic, Plastic, Metal, Signage and Display Materials across India.

We specialize in providing a comprehensive range of sheets, boards, rods, panels, profiles and accessories suitable for commercial, industrial and architectural applications.

With years of industry experience, we focus on delivering superior products, reliable service, competitive pricing and timely deliveries to meet the evolving requirements of our customers.

Our product range serves industries including signage, advertising, interior decoration, retail displays, construction, fabrication, LED lighting and furniture manufacturing.



OUR MISSION

To provide premium-quality materials with exceptional service, enabling customers to create innovative and durable solutions.



OUR VISION

To become India's most trusted source for Acrylic, Plastic and Metal Sheet Solutions.

INDUSTRIES WE SERVE



Signage & Advertising



Interior Decoration




Retail Display Solutions



Architecture & Construction



Furniture Manufacturing



Exhibition & Event Industry



Industrial Fabrication



LED Lighting Solutions



Packaging Industry



Automotive Applications

“ Quality is Our Commitment, Customer Satisfaction is Our Priority. ”



PREMIUM QUALITY

Top quality raw materials & strict quality control



WIDE RANGE

Extensive range of products in all sizes, colors & finishes



BEST PRICE

Competitive pricing & great value



ON-TIME DELIVERY

Timely delivery across India

01 CLEAR ACRYLIC SHEETS



- High Transparency
- UV Resistant
- Weather Proof
- Available in Various Thicknesses

APPLICATIONS



02 COLORED ACRYLIC SHEETS



- Wide Range of Colors
- Glossy Surface
- Light Weight
- Easy to Fabricate

APPLICATIONS



03 ACRYLIC MIRROR SHEETS



- Mirror Like Reflection
- Premium Finish
- Shatter Resistant
- Ideal for Decoration

APPLICATIONS



04 PS / GPPS SHEETS




- Good Impact Strength
- Easy to Print & Cut
- Light Weight
- Cost Effective

APPLICATIONS



05 POLYCARBONATE SHEETS



- High Impact Resistance
- UV Protection
- Weather Resistant
- Ideal for Roofing

APPLICATIONS



06 PVC FOAM BOARD SHEETS



- Light Weight
- Easy to Cut
- Smooth Surface
- Ideal for Advertising

APPLICATIONS



07 ACRYLIC RODS



- Excellent Clarity
- Strong & Durable
- UV Resistant
- Easy to Machine

APPLICATIONS



08 STAINLESS STEEL SHEETS



- Corrosion Resistant
- High Strength & Durable
- Hygienic & Easy to Clean

APPLICATIONS



09 ACP PANELS




- Lightweight & Durable
- Weather Resistant
- Flat & Smooth Surface

APPLICATIONS



10 ACP SHEETS PREMIUM SERIES



- Premium Quality
- Anti Scratch
- Fire Retardant
- Options

APPLICATIONS



11 PS MIRROR SHEETS



- High Reflectivity
- Smooth Surface
- Easy to Install
- Decorative Use

APPLICATIONS



12 SIGNAGE & DISPLAY SHEETS



- Smooth Surface
- Perfect for Signage
- Easy to Print
- Long Lasting

APPLICATIONS



13 MDF BOARDS



- Smooth Surface
- Easy to Cut
- Strong & Durable
- Ideal for Furniture

APPLICATIONS



14 WPC BOARDS



- Waterproof
- Termite Proof
- High Durability
- Ideal for Interior

APPLICATIONS




15 PVC SHEETS



- Waterproof
- Chemical Resistant
- Easy to Fabricate
- Wide Applications

APPLICATIONS



16 ABS SHEETS



- High Impact Strength
- Good Toughness
- Easy to Thermoform
- Industrial Use

APPLICATIONS



17 PETG SHEETS



- High Clarity
- Impact Resistant
- Food Grade
- Easy to Fabricate

APPLICATIONS



18 ALABASTER SHEETS



- Diffused Light
- Elegant Look
- Ideal for Lighting
- Easy to Cut

APPLICATIONS



19 LED DIFFUSER SHEETS



- Uniform Light Distribution
- No Dark Spots
- Energy Efficient
- Perfect for LED Lights

APPLICATIONS




20 ALUMINUM PROFILE



- LED Profiles
- LED Strip Lights
- Connectors
- Complete Solutions

APPLICATIONS



21 FABRIC PROFILE



- Stretch Fabric Systems
- Easy Installation
- Perfect Finish
- Durable & Lightweight

APPLICATIONS



PREMIUM QUALITY
Top quality raw materials
& strict quality control



WIDE RANGE
Extensive range of products
in all sizes, colors & finishes



BEST PRICE
Competitive pricing
& great value



ON TIME DELIVERY
Timely delivery
across India

CLEAR ACRYLIC SHEETS

Premium quality clear acrylic sheets with exceptional clarity, high impact strength and outstanding optical properties. Ideal for signage, displays, furniture, lighting and a wide range of creative applications.

PRODUCT CODE

RPA-CAS-01



EXCELLENT CLARITY



HIGH IMPACT STRENGTH



WEATHER RESISTANT



UV STABILIZED



EASY TO CUT & FABRICATE



LIGHTWEIGHT & DURABLE

AVAILABLE THICKNESS (mm)

- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm
- 15.00 mm
- 20.00 mm
- 25.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 1000 x 2000 (3.3ft x 6.6ft)
- 915 x 1830 (3ft x 6ft)
- Custom sizes available on request

AVAILABLE COLORS



FEATURES

- Outstanding Optical Clarity
- High Impact Resistance
- Lightweight & Easy to Handle
- UV & Weather Resistance
- Excellent Color & Surface Finish
- Easy to Cut, Drill & Shape
- Thermoformable
- Chemical & Moisture Resistant
- Scratch Resistant Surface
- Long Service Life
- 100% Recyclable Material

APPLICATIONS

- Signage & Advertising Displays
- Exhibition Stands & Booths
- LED Lighting & Light Diffusers
- Furniture & Interior Decor
- Retail Store Fixtures & POP Displays
- Aquariums & Fish Tanks
- Picture Frames & Photo Displays
- Protective Barriers & Shields
- Automotive & Transportation
- Crafts, Models & Prototyping
- Architectural & Decorative Panels

WIDE RANGE OF APPLICATIONS



MATERIAL PROPERTIES

Material	: PMMA (Polymethyl Methacrylate)
Density	: 1.18 - 1.20 g/cm ³
Light Transmission	: 92%
Tensile Strength	: 70 - 80 MPa
Impact Strength (Izod)	: 1.4 - 2.0 kJ/m ²
Heat Deflection Temp.	: 95°C
Vicat Softening Temp.	: 105°C
Service Temperature	: -40°C to +80°C
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ Crystal clear visibility
- ✓ High strength & durability
- ✓ Easy fabrication & installation
- ✓ Resistant to yellowing & UV
- ✓ Consistent quality & thickness
- ✓ Cost effective & long lasting
- ✓ Environment friendly

INDUSTRIES SERVED

- Advertising & Signage Industry
- Retail & Commercial Spaces
- Exhibition & Event Industry
- Architecture & Interior Design
- Automotive & Transportation
- Education & Institutions
- Healthcare & Laboratories
- Aquariums & Pet Industry



PREMIUM QUALITY MATERIALS




OPTICAL CLARITY



HIGH IMPACT RESISTANCE



UV & WEATHER RESISTANT



PRECISION CUT & CUSTOM SIZES



ON TIME DELIVERY



COMPETITIVE PRICE & BEST VALUE



TRUSTED BY INDUSTRIES PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimex2004@gmail.com



COLORED ACRYLIC SHEETS

Premium quality colored acrylic sheets with vibrant colors, high impact strength and excellent surface finish. Ideal for signage, displays, interior, lighting and a wide range of creative applications.

PRODUCT CODE
RPA-COL-02

AVAILABLE THICKNESS (mm)

- 2 mm
- 3 mm
- 4 mm
- 5 mm
- 6 mm
- 8 mm
- 10 mm
- 12 mm
- 15 mm
- 20 mm

STANDARD SIZE (mm)

- 1220 x 2440 mm (4 x 8 ft)
- 1220 x 1830 mm (4 x 6 ft)
- Custom sizes available on request

AVAILABLE COLORS



Note: Custom colors available on request



EXCELLENT
COLOR
CONSISTENCY



HIGH IMPACT
STRENGTH



UV
STABILIZED



WEATHER
RESISTANT



EASY TO CUT
& FABRICATE



LIGHTWEIGHT
& DURABLE



HIGH GLOSS
SURFACE

★ FEATURES

- Excellent Color Consistency
- High Gloss Surface
- UV Stabilized
- Weather Resistant
- Lightweight & Durable
- Easy to Cut & Fabricate
- High Impact Strength
- Excellent Surface Finish
- Thermoformable
- Long Service Life
- 100% Recyclable Material

⚙ APPLICATIONS

- Signage & Advertising
- Acrylic Letters
- LED Sign Boards
- Retail Displays
- Exhibition Stands
- Interior Decoration
- POP Displays
- Furniture Components
- Architectural Panels
- Creative Fabrication

WIDE RANGE OF APPLICATIONS



TECHNICAL PROPERTIES

Material	: PMMA (Polymethyl Methacrylate)
Density	: 1.18 – 1.20 g/cm ³
Light Transmission	: 92%
Tensile Strength	: 70 – 80 MPa
Impact Strength (Izod)	: 1.6 – 2.0 kJ/m ²
Heat Deflection Temp.	: 95°C
Vicat Softening Temp.	: 105°C
Service Temperature	: -40°C to +80°C
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ Vibrant colors and high clarity
- ✓ High strength & durability
- ✓ Easy fabrication & installation
- ✓ Resistant to yellowing & UV
- ✓ Consistent quality & thickness
- ✓ Cost effective & long lasting
- ✓ Environment friendly

INDUSTRIES SERVED

- Signage Industry
- Advertising Industry
- Retail Stores
- Interior Designers
- Exhibition Contractors
- Furniture Manufacturers
- Architects & Builders



PREMIUM
QUALITY
MATERIALS



EXCELLENT
COLOR
CONSISTENCY



UV & WEATHER
RESISTANT



HIGH IMPACT
STRENGTH



PRECISION CUT
& CUSTOM SIZES



ON TIME
DELIVERY



COMPETITIVE
PRICE & BEST
VALUE



TRUSTED BY
INDUSTRIES
PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimex2004@gmail.com



ACRYLIC MIRROR SHEETS

High quality acrylic mirror sheets with superior reflection, smooth surface and excellent durability. Ideal for signage, interior decoration, displays and creative applications.

PRODUCT CODE

RPA-CAM-03



EXCELLENT REFLECTION



HIGH IMPACT STRENGTH



UV STABILIZED



WEATHER RESISTANT



EASY TO CUT & FABRICATE



LIGHTWEIGHT & DURABLE



SMOOTH & SHINY FINISH

AVAILABLE THICKNESS (mm)

- 2 mm
- 3 mm
- 4 mm
- 5 mm
- 6 mm
- 8 mm
- 10 mm
- 12 mm
- 15 mm
- 20 mm



STANDARD SIZE (mm)

- 1220 x 2440 mm (4 x 8 ft)
- 1220 x 1830 mm (4 x 6 ft)
- Custom sizes available on request

AVAILABLE COLORS



Note: Protective film on one side to prevent scratches.



FEATURES

- Excellent Mirror Reflection
- High Impact Resistance
- Lightweight & Easy to Handle
- UV Stabilized
- Weather Resistant
- Smooth & Glossy Surface
- Easy to Cut, Drill & Shape
- Thermoformable
- Scratch Resistant Surface
- Long Service Life
- 100% Recyclable Material



APPLICATIONS

- Signage & Advertising
- Acrylic Letters & Logos
- LED Sign Boards
- Interior Decoration
- Wall Cladding & Panels
- Retail Store Fixtures
- Exhibition Stands & Booths
- POP & Display Units
- Furniture & Cabinet Doors
- Crafts, Models & Prototyping

WIDE RANGE OF APPLICATIONS



TECHNICAL PROPERTIES

Material	: PMMA (Polymethyl Methacrylate)
Density	: 1.18 – 1.20 g/cm ³
Light Transmission	: 92%
Tensile Strength	: 70 – 80 MPa
Impact Strength (Izod)	: 1.6 – 2.0 kJ/m ²
Heat Deflection Temp.	: 95°C
Vicat Softening Temp.	: 105°C
Service Temperature	: -40°C to +80°C
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ Superior mirror like reflection
- ✓ Enhances aesthetics & brightness
- ✓ High strength & durability
- ✓ Easy fabrication & installation
- ✓ Resistant to yellowing & UV
- ✓ Consistent quality & thickness
- ✓ Cost effective & long lasting
- ✓ Environment friendly

INDUSTRIES SERVED

- Signage Industry
- Advertising Industry
- Retail & Commercial Spaces
- Interior Designers
- Exhibition & Event Industry
- Furniture Manufacturers
- Architects & Builders



PREMIUM QUALITY MATERIALS



EXCELLENT REFLECTION



UV & WEATHER RESISTANT



HIGH IMPACT STRENGTH



PRECISION CUT & SMOOTH EDGE



ON TIME DELIVERY



COMPETITIVE PRICE & BEST VALUE



TRUSTED BY INDUSTRIES PAN INDIA



PS / GPPS SHEETS

High quality PS / GPPS sheets with excellent clarity, smooth surface and consistent thickness. Ideal for thermoforming, printing, signage, packaging and a wide range of commercial applications.

PRODUCT CODE

RPA-PSG-04



HIGH CLARITY



HIGH IMPACT STRENGTH



SMOOTH SURFACE



UV STABILIZED



WEATHER RESISTANT



EASY TO CUT & FABRICATE



LIGHTWEIGHT & DURABLE

AVAILABLE THICKNESS (mm)

- 0.30 mm
- 0.50 mm
- 0.75 mm
- 1.00 mm
- 1.50 mm
- 2.00 mm
- 2.50 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm



STANDARD SIZE (mm)

- 1220 x 2440 mm (4 x 8 ft)
- 1220 x 1830 mm (4 x 6 ft)
- 1000 x 2000 mm
- Custom sizes available on request

AVAILABLE COLORS



FEATURES

- Excellent Optical Clarity
- High Impact Strength
- Smooth & Glossy Surface
- Lightweight & Easy to Handle
- UV Stabilized
- Weather Resistant
- Easy to Cut, Drill & Shape
- Thermoformable
- Good Chemical Resistance
- Consistent Thickness
- Easy to Print & Fabricate
- 100% Recyclable Material

APPLICATIONS

- Thermoforming & Vacuum Forming
- Signage & Display
- Printing & Screen Printing
- Packaging & Blister Trays
- Point of Purchase (POP) Displays
- Food & Non-Food Containers
- Stationery & Office Products
- Electrical Insulation
- Toys & Educational Products
- Prototypes & Models
- Industrial & General Purpose Use
- Interior & Decorative Applications

WIDE RANGE OF APPLICATIONS



SIGNAGE



DISPLAY STANDS



THERMOFORMING



PACKAGING



RETAIL DISPLAYS



INTERIOR APPLICATIONS

TECHNICAL PROPERTIES

Material	: PS (Polystyrene) / GPPS
Density	: 1.04 - 1.06 g/cm ³
Light Transmission	: 88 - 92%
Tensile Strength	: 35 - 55 MPa
Impact Strength (Izod)	: 1.5 - 2.5 kJ/m ²
Heat Deflection Temp.	: 85°C
Vicat Softening Temp.	: 95°C
Service Temperature	: -20°C to +70°C
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ Excellent clarity & brightness
- ✓ Smooth surface for superior printing
- ✓ Easy fabrication & thermoforming
- ✓ Good impact & chemical resistance
- ✓ Consistent quality & thickness
- ✓ Cost effective & versatile
- ✓ Recyclable & eco friendly

INDUSTRIES SERVED

- Signage Industry
- Advertising & Printing Industry
- Packaging Industry
- Retail & Commercial Sector
- Electrical & Electronics Industry
- Automotive Industry
- Education & Stationery Industry
- General Manufacturing



PREMIUM QUALITY MATERIALS



EXCELLENT CLARITY



HIGH IMPACT STRENGTH



EASY TO CUT RESISTANT



THERMOFORMABLE MATERIAL



ON TIME DELIVERY



COMPETITIVE PRICE & BEST VALUE



TRUSTED BY INDUSTRIES PAN INDIA



+91 99990 31962



rpaimex2004@gmail.com




POLYCARBONATE SHEETS

High performance polycarbonate sheets with excellent impact strength, optical clarity, UV protection and weather resistance. Ideal for roofing, glazing, safety applications and industrial use.

PRODUCT CODE

RPA-PC-05



AVAILABLE THICKNESS (mm)

- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm
- 16.00 mm
- 20.00 mm



STANDARD SIZE (mm)

- 1220 x 2440 mm (4 x 8 ft)
- 1220 x 1830 mm (4 x 6 ft)
- 2100 x 3000 mm
- Custom sizes available on request

AVAILABLE COLORS



Note: Other colors available on request

FEATURES

- Outstanding Impact Strength
- UV Protected (Co-extruded Layer)
- Excellent Light Transmission
- Weather & Corrosion Resistant
- High Temperature Resistance
- Fire Retardant (Self Extinguishing)
- Lightweight & Easy to Handle
- Easy to Cut, Drill & Install
- Good Insulation Properties
- Bendable & Thermoformable
- Long Service Life
- 100% Recyclable Material

APPLICATIONS

- Roofing & Canopies
- Skylights & Domes
- Industrial Glazing
- Greenhouse & Agriculture
- Noise Barriers & Partitions
- Walkways & Corridors
- Bus Stops & Shelters
- Security & Safety Glazing
- Machine Guards & Enclosures
- Signage & Display Protection
- Architectural & Decorative Uses
- DIY & Home Improvement

WIDE RANGE OF APPLICATIONS



TECHNICAL PROPERTIES

Material	: Polycarbonate (PC)
Density	: 1.20 g/cm³
Light Transmission	: 80% - 90% (Clear)
UV Protection	: Co-extruded UV Layer
Impact Strength (Izod)	: 600 - 850 J/m²
Heat Deflection Temp.	: 135°C
Vicat Softening Temp.	: 147°C
Service Temperature	: -40°C to +120°C
Flammability	: UL94 V-2 (Self Extinguishing)



KEY BENEFITS

- ✓ High impact & unbreakable
- ✓ Superior clarity & light transmission
- ✓ UV protection for outdoor durability
- ✓ Resistant to harsh weather conditions
- ✓ Easy installation & low maintenance
- ✓ Energy efficient & cost effective
- ✓ Long lasting performance
- ✓ Environment friendly

INDUSTRIES SERVED

- Construction Industry
- Architectural & Interior Industry
- Greenhouse & Agriculture Industry
- Automotive & Transportation
- Industrial & Manufacturing
- Signage & Advertising Industry
- Public Infrastructure Projects



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimex2004@gmail.com



PVC FOAM BOARD SHEETS

Premium quality PVC foam board sheets with smooth surface, lightweight structure and excellent durability. Ideal for signage, displays, furniture, interiors and a wide range of commercial applications.

PRODUCT CODE

RPA-PFB-06

AVAILABLE THICKNESS (mm)

- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm
- 16.00 mm
- 18.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 mm (4 x 8 ft)
- 1220 x 1830 mm (4 x 6 ft)
- Custom sizes available on request

AVAILABLE COLORS



Note: Other colors available on request



LIGHTWEIGHT & DURABLE



EXCELLENT STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT



EASY TO CUT & FABRICATE



UV STABILIZED



SMOOTH SURFACE

FEATURES

- Lightweight & Easy to Handle
- Smooth & Uniform Surface
- High Impact Strength
- Moisture & Water Resistant
- Chemical & Corrosion Resistant
- Termite & Borer Proof
- Easy to Cut, Drill & Shape
- Excellent Printability
- UV Stabilized
- Flame Retardant (Self Extinguishing)
- Long Service Life
- 100% Recyclable Material

APPLICATIONS

- Signage & Advertising Boards
- Digital & Screen Printing
- POP & Display Units
- Exhibition Stands & Booths
- Furniture & Interior Decoration
- False Ceilings & Partitions
- Kitchen & Bathroom Cabinets
- Doors & Wall Panels
- Office & Commercial Interiors
- Retail Store Fixtures
- Model Making & Prototyping
- DIY & General Purpose Use

WIDE RANGE OF APPLICATIONS



TECHNICAL PROPERTIES

Material	: PVC (Polyvinyl Chloride) Foam
Density	: 0.45 – 0.70 g/cm ³
Surface	: Smooth & Matte Finish
Tensile Strength	: 8 – 12 MPa
Impact Strength (Izod)	: 6 – 10 kJ/m ²
Water Absorption	: < 1%
Heat Deflection Temp.	: 75°C
Vicat Softening Temp.	: 80°C
Flammability	: Self Extinguishing (UL 94 V-0)





KEY BENEFITS

- ✓ Lightweight yet strong & rigid
- ✓ Superior printability & smooth finish
- ✓ Moisture, chemical & termite resistant
- ✓ Easy fabrication & installation
- ✓ Cost effective & long lasting
- ✓ Versatile for multiple applications
- ✓ Environment friendly & recyclable

INDUSTRIES SERVED

- Signage & Advertising Industry
- Exhibition & Event Industry
- Interior & Furniture Industry
- Retail & Commercial Industry
- Construction & Infrastructure
- Education & Institutions
- Printing & Packaging Industry



RPA IMPEX
3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimex2004@gmail.com



ACRYLIC RODS

Premium quality acrylic rods manufactured for superior clarity, strength and durability. Excellent for machining, crafting, fabrication, lighting and display applications.

PRODUCT CODE

RPA-AR-07



HIGH CLARITY



STRONG & DURABLE



EASY TO MACHINE



LIGHT WEIGHT



WIDE RANGE OF COLORS

AVAILABLE DIAMETERS

- | | |
|-----------|------------|
| • Ø 3 mm | • Ø 18 mm |
| • Ø 4 mm | • Ø 20 mm |
| • Ø 5 mm | • Ø 25 mm |
| • Ø 6 mm | • Ø 30 mm |
| • Ø 8 mm | • Ø 40 mm |
| • Ø 10 mm | • Ø 50 mm |
| • Ø 12 mm | • Ø 60 mm |
| • Ø 15 mm | • Ø 75 mm |
| | • Ø 100 mm |

LENGTH

1000 mm | 2000 mm

COLORS AVAILABLE



FEATURES

- Excellent Optical Clarity
- High Impact Strength
- Easy to Cut & Machine
- Smooth Surface Finish
- Lightweight & Durable
- UV Resistant
- Weather Resistant
- Good Chemical Resistance
- Excellent Dimensional Stability
- Long Service Life
- Non-Toxic & Safe



APPLICATIONS

- Lighting & LED Fixtures
- Displays & Signage
- Furniture & Interior Decor
- Arts, Crafts & DIY Projects
- Industrial Components
- Machinery & Equipment Parts
- Laboratory Equipment
- Architectural & Decoration
- Aquarium & Marine Use
- Retail & Exhibition Displays
- Prototyping & Fabrication

LIGHTING APPLICATIONS



DISPLAY & SIGNAGE



FURNITURE & DECOR



INDUSTRIAL & MACHINERY



PREMIUM QUALITY RAW MATERIAL



WIDE RANGE OF SIZES & COLORS



EXCELLENT FINISH & DURABILITY



PRECISION CUT & CUSTOM SOLUTIONS



TRUSTED BY INDUSTRIES PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrashan, Chuna Mandi, Paharganj, New Delhi - 110055

OF PRODUCTS



BEST PRICE & VALUE



+91 99990 31962



rpaimex2004@gmail.com



ON TIME DELIVERY



CUSTOMER SATISFACTION



STAINLESS STEEL SHEETS

High quality stainless steel sheets known for excellent corrosion resistance, high strength, superior finish and long lasting performance. Ideal for industrial, architectural and decorative applications.

PRODUCT CODE

RPA-SS-08

AVAILABLE THICKNESS (mm)

- 0.30 mm
- 0.40 mm
- 0.50 mm
- 0.60 mm
- 0.80 mm
- 1.00 mm
- 1.20 mm
- 1.50 mm
- 2.00 mm
- 2.50 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm

STANDARD SIZES (mm)

- 1000 x 2000
- 1219 x 2438 (4ft x 8ft)
- 1250 x 2500
- 1500 x 3000

Other sizes available on request

AVAILABLE FINISHES



2B (Matt) BA (Mirror) No.4 (Hairline) HL (Brush) Embossed (Design)



CORROSION RESISTANT



HIGH STRENGTH



PREMIUM FINISH



EASY TO CUT & FABRICATE



HEAT RESISTANT



100% RECYCLABLE



FEATURES

- Excellent Corrosion Resistance
- High Strength & Durability
- Heat & Oxidation Resistant
- Superior Surface Finish
- Easy to Cut, Bend & Weld
- Hygienic & Easy to Clean
- Dimensional Accuracy
- Suitable for Food Contact
- Long Service Life
- 100% Recyclable Material



APPLICATIONS

- Kitchen Equipment & Appliances
- Food Processing & Dairy Industry
- Pharmaceutical & Chemical Industry
- Architecture & Interior Design
- Elevators & Escalators
- Automotive & Transport
- Industrial Machinery
- Storage Tanks & Containers
- Decorative Panels & Signage
- Marine & Offshore Applications

AVAILABLE GRADES

- SS 201
- SS 304
- SS 316
- SS 430
- SS 202

Other grades available on request

WIDE RANGE OF FINISHES & APPLICATIONS



2B / MATT FINISH

BA / MIRROR FINISH

HAIRLINE FINISH

DECORATIVE EMBOSSED

INDUSTRIAL APPLICATION

INDUSTRIES SERVED

- Construction & Architecture
- Food & Beverage Industry
- Pharmaceutical Industry
- Chemical & Petrochemical
- Automotive Industry
- Marine & Ship Building
- Power & Energy Sector
- Interior & Decorative Industry
- General Engineering



PREMIUM QUALITY MATERIALS



EXCELLENT CORROSION RESISTANCE



PRECISE CUT & CUSTOM SIZE SOLUTIONS



ON TIME DELIVERY



COMPETITIVE PRICE & BEST VALUE



TRUSTED BY INDUSTRIES PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrashan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962

rpaimex2004@gmail.com



WIDE RANGE OF PRODUCTS



BEST PRICE & VALUE



ON TIME DELIVERY



CUSTOMER SATISFACTION

ACP PANELS

High quality Aluminium Composite Panels manufactured with advanced technology for superior flatness, durability, aesthetics and performance. Ideal for modern architecture, signage and interior design.

PRODUCT CODE

RPA-ACP-09



AVAILABLE THICKNESS (mm)

- 2 mm
- 3 mm
- 4 mm
- 5 mm
- 6 mm
- 8 mm
- 10 mm

STANDARD SIZE (mm)

- 1220 x 2440
- 1250 x 3200
- 1500 x 3050
- 1500 x 4000

Other sizes available on request

AVAILABLE FINISHES



★ FEATURES

- Excellent Flatness & Stiffness
- Lightweight & Easy to Install
- High Peeling Strength
- Superior Weather Resistance
- UV Resistant & Color Fastness
- Corrosion & Chemical Resistant
- Fire Retardant (FR Core Available)
- Impact Resistant
- Easy to Cut, Bend & Fabricate
- Low Maintenance
- Long Service Life
- Environment Friendly – 100% Recyclable

⚙️ APPLICATIONS

- Building Facades & Cladding
- Interior Wall & Ceiling Cladding
- Signage & Advertising Boards
- Retail Outlets & Showrooms
- Partitions & False Ceilings
- Doors, Cabinets & Furniture
- Column Cladding
- Exhibition Stalls & Kiosks
- Toll Booths & Prefab Structures
- Renovation & Retrofit Applications
- Decorative & Corporate Interiors


CORE OPTIONS



WIDE RANGE OF APPLICATIONS



PANEL COMPOSITION



SPECIFICATIONS

Aluminium Thickness	: 0.18 mm – 0.50 mm
Total Panel Thickness	: 2 mm – 10 mm
Aluminium Grade	: AA 1100 / 3003
Coating (PVDF)	: 20 – 25 Micron
Peel Strength	: ≥ 5 N/mm
Impact Strength	: ≥ 9 KJ/m ²
Fire Rating (FR)	: B1 / B2 / A2
Temperature Resistance	: -50°C to +80°C

INDUSTRIES SERVED

- Construction & Architecture
- Signage & Advertising
- Retail & Commercial
- Transport & Infrastructure
- Hospitality & Interiors
- Corporate & Institutional
- Industrial & Manufacturing



PREMIUM
QUALITY
MATERIALS



ADVANCED
COATING
TECHNOLOGY



EXCELLENT
WEATHER
RESISTANCE



PRECISE CUT &
FABRICATION
SUPPORT



ON TIME
DELIVERY



COMPETITIVE
PRICE & BEST
VALUE



TRUSTED BY
INDUSTRIES
PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962

rpaimex2004@gmail.com



ACP SHEETS

PREMIUM SERIES

Premium quality Aluminium Composite Sheets with superior grade raw materials and advanced coating technology. Excellent flatness, durability, aesthetics and weather performance. Designed for high-end architecture, premium signage and modern interior solutions.

PRODUCT CODE

RPA-ACP-10



PREMIUM
QUALITY



WEATHER
RESISTANT



CORROSION
RESISTANT



UV
PROTECTED



FIRE
RETARDANT



EASY TO FABRICATE
& INSTALL

AVAILABLE THICKNESS (mm)

- 2 mm
- 3 mm
- 4 mm
- 5 mm
- 6 mm
- 8 mm
- 10 mm
- 12 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
 - 1250 x 3050 (4ft x 10ft)
 - 1500 x 3050 (5ft x 10ft)
 - 1500 x 4000 (5ft x 13ft)
- Other sizes available on request

AVAILABLE FINISHES



PREMIUM FEATURES

- Superior Flatness & Stiffness
- High Peeling Strength
- Excellent Weather Resistance
- UV Resistant & Color Fastness
- Scratch & Abrasion Resistant
- Corrosion & Chemical Resistant
- Fire Retardant (FR Core Available)
- Easy to Cut, Bend & Fabricate
- Lightweight & Easy to Install
- Low Maintenance
- Long Service Life
- Environment Friendly – 100% Recyclable



APPLICATIONS

- High Rise Building Facades
- Premium Signage & Branding
- Interior Wall & Ceiling Cladding
- Retail Outlets & Showrooms
- Corporate Offices & Lobbies
- Hotels, Resorts & Restaurants
- Exhibition Stalls & Pavilions
- Transport & Vehicle Body Building
- Clean Rooms & Laboratories
- Renovation & Retrofit Projects
- False Ceilings & Partitions
- Industrial & Commercial Use

CORE OPTIONS



WIDE RANGE OF APPLICATIONS



PANEL COMPOSITION



TECHNICAL SPECIFICATIONS

Aluminium Thickness	: 0.18 mm – 0.50 mm
Total Panel Thickness	: 2 mm – 12 mm
Aluminium Grade	: AA 1100 / 3003 / 5005
Coating (PVDF)	: 20 – 25 Micron
Peel Strength	: ≥ 5 N/mm
Impact Strength	: ≥ 9 KJ/m ²
Fire Rating (FR)	: B1 / B2 / A2
Temperature Resistance	: -50°C to +80°C

INDUSTRIES SERVED

- Construction & Architecture
- Signage & Advertising Industry
- Retail & Commercial Sector
- Hospitality & Interiors
- Transportation & Infrastructure
- Industrial & Manufacturing
- Institutional & Government Projects



PREMIUM
QUALITY
MATERIALS



ADVANCED
COATING
TECHNOLOGY



EXCELLENT
WEATHER
RESISTANCE



PRECISE CUT &
FABRICATION
SUPPORT



ON TIME
DELIVERY



COMPETITIVE
PRICE & BEST
VALUE



TRUSTED BY
INDUSTRIES
PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrashan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimex2004@gmail.com



PS MIRROR SHEETS

Premium quality PS Mirror Sheets with perfect mirror finish, high reflectivity and excellent surface flatness. Ideal for decorative, signage, interior and display applications.

PRODUCT CODE

RPA-PSM-11



HIGH REFLECTIVITY



PERFECT MIRROR FINISH



SCRATCH RESISTANT



LIGHTWEIGHT & DURABLE



UV STABILIZED



EASY TO CUT & FABRICATE

AVAILABLE THICKNESS (mm)

- 0.80 mm
- 1.00 mm
- 1.50 mm
- 2.00 mm
- 2.50 mm
- 3.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 915 x 1830 (3ft x 6ft)
- Custom sizes available on request

AVAILABLE COLORS



FEATURES

- Excellent Mirror Reflectivity
- High Surface Smoothness
- Lightweight & Easy to Handle
- Good Impact Resistance
- Easy to Cut, Drill & Fabricate
- Scratch Resistant Surface
- Moisture & Chemical Resistant
- UV Stabilized – Non Yellowing
- Consistent Quality & Flatness
- Long Service Life
- 100% Recyclable Material



APPLICATIONS

- Interior Wall & Ceiling Decoration
- Furniture & Cabinet Fronts
- Signage & Advertising Displays
- Retail Outlets & Showrooms
- Exhibition Stalls & Event Decor
- False Ceilings & Partitions
- Photo Frames & Decorative Panels
- Elevator Interiors
- Crafts, Gifts & DIY Projects
- Theatre & Stage Backgrounds
- Salons, Gyms & Dance Studios
- Point of Purchase (POP) Displays

APPLICATION GALLERY



TECHNICAL SPECIFICATIONS

Material	Polystyrene (PS)
Surface	Mirror Finish
Density	1.04 – 1.06 g/cm ³
Tensile Strength	≥ 25 MPa
Impact Strength (Izod)	≥ 2.5 kJ/m ²
Heat Deflection Temp.	≥ 75°C
Vicat Softening Temp.	≥ 95°C
Light Transmittance	Mirror Reflective
Service Temperature	-10°C to +70°C



KEY BENEFITS

- ✓ Premium mirror finish
- ✓ High reflectivity & brilliance
- ✓ Easy fabrication & installation
- ✓ Lightweight alternative to glass
- ✓ Cost effective & versatile
- ✓ Consistent quality assurance
- ✓ Environment friendly

INDUSTRIES SERVED

- Advertising & Signage Industry
- Interior Decoration & Architecture
- Retail & Commercial Spaces
- Event & Exhibition Industry
- Furniture Manufacturing
- Hospitality & Entertainment
- Education & Institutional
- Crafts & DIY Market



PREMIUM QUALITY RAW MATERIALS



HIGH REFLECTIVITY MIRROR FINISH



CONSISTENT QUALITY & PERFECT FLATNESS



CUSTOM SIZES AVAILABLE



ON TIME DELIVERY



TRUSTED BY INDUSTRIES PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimex2004@gmail.com



SIGNAGE & DISPLAY SHEETS

High quality Signage & Display Sheets in vibrant colors with smooth surface, excellent printability and durability. Ideal for signage, branding, exhibitions and display applications.



PRODUCT CODE

RPA-SDS-12



DURABLE & STRONG



WIDE RANGE OF COLORS



EXCELLENT PRINTABILITY



UV FADE RESISTANT



EASY TO CUT & FABRICATE



LIGHTWEIGHT & VERSATILE

AVAILABLE THICKNESS (mm)

- 1.00 mm
- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
 - 1220 x 1830 (4ft x 6ft)
 - 915 x 1830 (3ft x 6ft)
- Custom sizes available on request

AVAILABLE COLORS



★ FEATURES

- High Surface Smoothness
- Excellent Print & Vinyl Adhesion
- Vibrant & Consistent Colors
- Lightweight & Easy to Handle
- Impact & Scratch Resistant
- Easy to Cut, Drill & Bend
- Weather & UV Resistant
- Moisture Resistant
- Chemical Resistant
- Long Service Life
- 100% Recyclable Material

⚙ APPLICATIONS


- Indoor & Outdoor Signage
- Advertising & Branding Boards
- Exhibition & Display Stands
- Point of Purchase (POP) Displays
- Retail Store Fit-outs
- Menu Boards & Name Plates
- Information & Direction Signs
- Corporate Branding & Logos
- Digital Printing & Screen Printing
- Crafts, Models & Prototyping
- Backlit & LED Sign Boards

WIDE RANGE OF APPLICATIONS



MATERIAL SPECIFICATIONS

Material Type	: PVC / Acrylic Composite
Surface Finish	: Smooth / Matte
Density	: 1.35 - 1.45 g/cm ³
Tensile Strength	: ≥ 50 MPa
Impact Strength (Izod)	: ≥ 5.0 kJ/m ²
Water Absorption	: < 0.5%
Heat Deflection Temp.	: ≥ 70°C
Service Temperature	: -10°C to +60°C
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ Bright colors with excellent finish
- ✓ Perfect for printing & laminating
- ✓ Easy fabrication & installation
- ✓ Long-lasting performance
- ✓ Low maintenance & cost effective
- ✓ Wide range of colors & thickness
- ✓ Environment friendly & recyclable

INDUSTRIES SERVED

- Advertising & Signage Industry
- Retail & Commercial Spaces
- Exhibition & Event Industry
- Corporate & Institutional
- Education & Training Centers
- Hospitality & Entertainment
- Interior & Architectural Industry



PREMIUM QUALITY MATERIALS



VIBRANT COLOR RANGE



EASY FABRICATION



WEATHER & UV RESISTANT



PRINT & VINYL FRIENDLY



ON TIME DELIVERY



COMPETITIVE PRICE & BEST VALUE



TRUSTED BY INDUSTRIES PAN INDIA



+91 99990 31962



rpaimex2004@gmail.com



MDF BOARDS

Premium quality MDF Boards with uniform density, smooth surface and excellent workability. Ideal for furniture, interiors, panels, laminates, carpentry and a wide range of applications.

PRODUCT CODE

RPA-MDF-13



UNIFORM
DENSITY



SMOOTH
SURFACE



HIGH
STRENGTH



EASY TO CUT
& SHAPE



ECO FRIENDLY
& SAFE



EXCELLENT
FINISH

AVAILABLE THICKNESS (mm)

- 2.5 mm
- 3 mm
- 4 mm
- 6 mm
- 9 mm
- 12 mm
- 15 mm
- 18 mm
- 25 mm
- 30 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
 - 1220 x 1830 (4ft x 6ft)
 - 915 x 2135 (3ft x 7ft)
 - 915 x 1830 (3ft x 6ft)
- Other sizes available on request

AVAILABLE GRADES



Standard
MDF



Moisture
Resistant
(MR MDF)



Fire
Retardant
(FR MDF)



High Density
MDF
(HDF)



FEATURES

- Uniform Density & Thickness
- Smooth & Fine Surface Finish
- High Screw Holding Strength
- Excellent Machinability
- Easy to Cut, Drill & Shape
- Low Formaldehyde Emission (E1 / E2 Grade)
- Moisture Resistant Option Available
- Termite & Borer Resistant
- Perfect for Painting & Lamination
- Consistent Quality & Performance
- Environment Friendly Product
- Recyclable & Sustainable



APPLICATIONS

- Furniture & Cabinetry
- Interior Decoration & Paneling
- Modular Kitchen & Wardrobes
- Doors & Shutters
- Wall Paneling & Partitions
- False Ceilings & Linings
- Office & Commercial Interiors
- Retail Displays & Fixtures
- CNC Carving & Routing
- Laminated & Veneered Panels
- DIY Projects & Craft Works
- Audio Speakers & Subwoofer Boxes

WIDE RANGE OF APPLICATIONS



INTERIOR PANELS



MODULAR KITCHEN



WARDROBES



OFFICE INTERIORS



RETAIL DISPLAYS



CNC ROUTING

TECHNICAL SPECIFICATIONS

Material	: Medium Density Fibreboard
Density	: 650 – 800 kg/m ³
Thickness Tolerance	: ± 0.2 mm
Moisture Content	: 5% – 11%
Internal Bond	: ≥ 0.75 N/mm ²
Bending Strength	: ≥ 22 N/mm ²
Screw Holding Strength	: ≥ 800 N
Surface Finish	: Smooth & Uniform
Formaldehyde Emission	: E1 / E2 Grade



KEY BENEFITS

- ✓ Consistent quality & uniform thickness
- ✓ Smooth surface for perfect finish
- ✓ Easy to machine & fabricate
- ✓ High strength & durability
- ✓ Suitable for laminates & veneers
- ✓ Cost effective & versatile
- ✓ Eco friendly & sustainable product

INDUSTRIES SERVED

- Furniture & Interior Industry
- Architectural & Construction
- Retail & Commercial Spaces
- Education & Institutional
- Hospitality & Healthcare
- Exhibition & Display Industry
- Automotive & Transport
- DIY & Craft Industry



PREMIUM
QUALITY
MDF BOARDS



SUPERIOR
MACHINABILITY



MOISTURE
RESISTANT
OPTION



LOW
FORMALDEHYDE
EMISSION



CONSISTENT
THICKNESS



ON TIME
DELIVERY



COMPETITIVE
PRICE & BEST
VALUE



TRUSTED BY
INDUSTRIES
PAN INDIA



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimex2004@gmail.com



WPC BOARDS

Premium quality WPC Boards with the perfect combination of wood fiber and polymer for exceptional strength, durability and a natural wood feel. Ideal for interior, exterior and industrial applications.

PRODUCT CODE

RPA-WPC-14

AVAILABLE THICKNESS (mm)

- 6 mm
- 8 mm
- 10 mm
- 12 mm
- 15 mm
- 18 mm
- 25 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 915 x 1830 (3ft x 6ft)
- Other sizes available on request

AVAILABLE FINISHES



WATER & MOISTURE RESISTANT



TERMITE & BORER RESISTANT



WEATHER & UV RESISTANT



HIGH STRENGTH & STABILITY



ECO FRIENDLY & RECYCLABLE



EASY TO CUT & FABRICATE



EXCELLENT FINISH

★ FEATURES

- ✓ Wood-like Appearance & Natural Feel
- ✓ High Density & Load Bearing Capacity
- ✓ Waterproof & Rot Proof
- ✓ Termite & Insect Resistant
- ✓ UV & Weather Resistant
- ✓ Fire Retardant (Optional Grades)
- ✓ Easy to Cut, Drill & Machine
- ✓ No Painting or Polishing Required
- ✓ Dimensionally Stable
- ✓ Impact & Scratch Resistant
- ✓ Low Maintenance & Long Life
- ✓ Environment Friendly Product
- ✓ 100% Recyclable

⚙ APPLICATIONS


- ✓ Wall Panels & Wall Cladding
- ✓ Furniture & Cabinetry
- ✓ Modular Kitchen & Wardrobes
- ✓ Doors & Door Frames
- ✓ False Ceilings & Linings
- ✓ Interior Decoration & Paneling
- ✓ Office & Commercial Interiors
- ✓ Retail Displays & Fixtures
- ✓ Exhibition Stalls & Displays
- ✓ Hotel, Restaurant & Resorts
- ✓ Residential & Outdoor Projects
- ✓ Industrial & Warehouse Use

WIDE RANGE OF APPLICATIONS



TECHNICAL SPECIFICATIONS

Composition	: Wood Fiber + Polymer + Additives
Density	: 0.90 - 1.20 g/cm ³
Water Absorption	: < 1%
Thickness Tolerance	: ± 0.2 mm
Bending Strength	: ≥ 20 MPa
Modulus of Elasticity	: ≥ 2000 MPa
Impact Strength	: ≥ 10 KJ/m ²
Screw Holding Strength	: ≥ 800 N
Operating Temperature	: -20°C to +60°C
Fire Rating	: B2 (Optional)



KEY BENEFITS

- ✓ Natural wood look with modern performance
- ✓ Resistant to harsh weather & UV rays
- ✓ No warping, cracking or splitting
- ✓ High strength & long lasting
- ✓ Cost effective & maintenance free
- ✓ Easy installation & fabrication
- ✓ Ideal for interior & exterior use

INDUSTRIES SERVED

- ✓ Construction & Architecture
- ✓ Furniture & Interior Industry
- ✓ Retail & Commercial Spaces
- ✓ Hospitality & Resorts
- ✓ Exhibition & Event Industry
- ✓ Industrial & Warehouse
- ✓ Residential & Outdoor Projects



PREMIUM QUALITY WPC BOARDS



WATERPROOF & ROT PROOF



TERMITE & INSECT RESISTANT



WEATHER & UV RESISTANT



HIGH STRENGTH & STABILITY



LOW MAINTENANCE



EASY TO CUT & FABRICATE



ECO FRIENDLY & RECYCLABLE



RPA IMPEX
3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimex2004@gmail.com



PVC SHEETS

Premium quality PVC Sheets with excellent chemical resistance, durability and smooth surface finish. Ideal for a wide range of industrial, commercial and interior applications.

PRODUCT CODE

RPA-PVC-15



CHEMICAL
RESISTANT



WATERPROOF
& NON ABSORBENT



FIRE
RETARDANT



DURABLE &
LONG LASTING



EASY TO CUT
& FABRICATE



LIGHTWEIGHT
& VERSATILE

AVAILABLE THICKNESS (mm)

- 1.00 mm
- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm
- 15.00 mm
- 20.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 1000 x 2000 (3.3ft x 6.6ft)
- 915 x 1830 (3ft x 6ft)
- Other sizes available on request

AVAILABLE COLORS



FEATURES

- Excellent Chemical Resistance
- Smooth & Glossy Surface Finish
- High Impact Strength
- Waterproof & Non Absorbent
- Corrosion & Rust Proof
- Good Electrical Insulation
- Self Extinguishing (Fire Retardant)
- Easy to Cut, Drill & Weld
- Thermoformable
- Lightweight & Easy to Handle
- UV Resistant (Limited)
- Long Service Life
- 100% Recyclable Material



APPLICATIONS

- Chemical Tanks & Linings
- Water Treatment Plants
- Electrical Insulation Panels
- Industrial Linings & Guards
- Signage & Display Boards
- Partition Panels & Wall Cladding
- Ducting & Ventilation Systems
- Laboratory Furniture & Fittings
- Food Processing Industry
- Pharmaceutical Industry
- Corrosion Resistant Applications
- Printing & Engraving Substrates
- DIY Projects & Fabrication

WIDE RANGE OF APPLICATIONS



TECHNICAL SPECIFICATIONS

Material Type	: Polyvinyl Chloride (PVC)
Density	: 1.35 – 1.45 g/cm ³
Tensile Strength	: ≥ 52 MPa
Impact Strength (Izod)	: ≥ 5.0 kJ/m ²
Flexural Strength	: ≥ 75 MPa
Water Absorption	: < 0.1%
Vicat Softening Temp.	: 75 – 80°C
Chemical Resistance	: Excellent
Flammability	: Self Extinguishing



KEY BENEFITS

- ✓ High chemical & corrosion resistance
- ✓ Waterproof & non absorbent
- ✓ High impact strength & durable
- ✓ Easy to fabricate & install
- ✓ Fire retardant & safe
- ✓ Cost effective & long lasting
- ✓ Suitable for industrial & commercial use
- ✓ Recyclable & eco friendly

INDUSTRIES SERVED

- Chemical Processing Industry
- Water Treatment Industry
- Electrical & Electronics Industry
- Food & Beverage Industry
- Pharmaceutical Industry
- Advertising & Signage Industry
- Construction & Interior Industry
- Automotive & Transportation



PREMIUM
QUALITY
MATERIALS



CHEMICAL
RESISTANT



WATERPROOF
& DURABLE



FIRE
RETARDANT



LIGHTWEIGHT
& STRONG



LONG LASTING
PERFORMANCE



ECO FRIENDLY &
RECYCLABLE



RPA IMPEX
3004, Gali No. 2, Bazar Sangatrashan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimex2004@gmail.com



ABS SHEETS

Premium quality ABS Sheets with excellent impact strength, toughness and dimensional stability. Ideal for thermoforming, fabrication, industrial, automotive, signage and a wide range of commercial applications.

PRODUCT CODE

RPA-ABS-16

AVAILABLE THICKNESS (mm)

- 1.00 mm
- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm
- 15.00 mm
- 20.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 1000 x 2000 (3.3ft x 6.6ft)
- 915 x 1830 (3ft x 6ft)
- Other sizes available on request

AVAILABLE COLORS



HIGH IMPACT STRENGTH



TOUGH & DURABLE



DIMENSIONAL STABILITY



EXCELLENT THERMOFORMING



EASY TO CUT & FABRICATE



LIGHTWEIGHT & RECYCLABLE



CHEMICAL RESISTANT



FEATURES

- Excellent Impact Strength
- High Toughness & Durability
- Good Dimensional Stability
- Smooth & Glossy Surface Finish
- Excellent Thermoforming Properties
- Easy to Cut, Drill & Machine
- Good Chemical Resistance
- Electrical Insulation Properties
- Low Water Absorption
- Lightweight & Easy to Handle
- UV Resistant (Limited)
- Long Service Life
- 100% Recyclable Material



APPLICATIONS

- Automotive Interior Parts
- Thermoforming Trays & Components
- Appliance & Electrical Housings
- Signage & Display Fabrication
- Industrial Machine Guards
- Point of Purchase (POP) Displays
- Refrigeration & Cold Room Linings
- Luggage & Suitcase Components
- Toys, Games & Sporting Goods
- Medical & Laboratory Equipment
- Furniture & Office Accessories
- Partition Walls & Linings
- General Fabrication & Prototyping

WIDE RANGE OF APPLICATIONS



AUTOMOTIVE PARTS



THERMOFORMING TRAYS



ELECTRICAL ENCLOSURES



SIGNAGE & DISPLAYS




LUGGAGE COMPONENTS



MACHINE GUARDS

TECHNICAL SPECIFICATIONS

Material Type	: Acrylonitrile Butadiene Styrene (ABS)
Density	: 1.04 – 1.07 g/cm ³
Tensile Strength	: ≥ 40 MPa
Impact Strength (Izod)	: ≥ 200 J/m
Flexural Strength	: ≥ 60 MPa
Heat Deflection Temp.	: 90 – 105°C
Vicat Softening Temp.	: 95 – 108°C
Water Absorption	: < 0.3%
Flammability	: HB (UL 94)



KEY BENEFITS

- ✓ High impact strength & toughness
- ✓ Excellent for thermoforming
- ✓ Good dimensional stability
- ✓ Easy to fabricate & machine
- ✓ Chemical & corrosion resistant
- ✓ Cost effective & long lasting
- ✓ Suitable for indoor applications
- ✓ Recyclable & eco friendly

INDUSTRIES SERVED

- Automotive Industry
- Electrical & Electronics Industry
- Signage & Advertising Industry
- Industrial & Manufacturing
- Retail & Display Industry
- Medical & Healthcare Industry
- Furniture & Interior Industry
- General Fabrication Industry



HIGH IMPACT STRENGTH



EXCELLENT THERMOFORMING



CHEMICAL RESISTANT



DIMENSIONAL STABILITY



EASY TO CUT & FABRICATE



LIGHTWEIGHT MATERIAL



RECYCLABLE & ECO FRIENDLY



CONSISTENT QUALITY



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimes2004@gmail.com



PETG SHEETS

Premium quality PETG Sheets with outstanding clarity, impact strength and chemical resistance. Ideal for thermoforming, fabrication, printing and a wide range of industrial, commercial and display applications.

PRODUCT CODE

RPA-PETG-17



CRYSTAL
CLEAR CLARITY



HIGH IMPACT
STRENGTH



CHEMICAL
RESISTANT



EASY
THERMOFORMING



LIGHTWEIGHT
& DURABLE



EASY TO CUT
& FABRICATE



RECYCLABLE
& ECO FRIENDLY

AVAILABLE THICKNESS (mm)

- 0.50 mm
- 0.75 mm
- 1.00 mm
- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 1000 x 2000 (3.3ft x 6.6ft)
- 915 x 1830 (3ft x 6ft)
- Other sizes available on request

AVAILABLE COLORS



FEATURES

- Excellent Optical Clarity
- High Impact & Toughness
- Good Chemical Resistance
- Moisture & Water Resistant
- Easy Thermoforming
- Smooth & Glossy Surface Finish
- Easy to Cut, Drill & Fabricate
- UV Resistant (Limited)
- Good Dimensional Stability
- Odorless & Non Toxic
- Food Contact Safe (FDA Compliant)
- 100% Recyclable Material
- Long Service Life



APPLICATIONS


- Thermoforming Trays & Packaging
- Signage & Display Fabrication
- Point of Purchase (POP) Displays
- Vacuum Forming Applications
- Food & Beverage Packaging
- Medical & Pharmaceutical Trays
- Electrical Insulation & Covers
- Refrigerator & Cold Room Linings
- Shelving & Storage Bins
- Printed Graphics & Digital Printing
- Protective Guards & Barriers
- Furniture & Interior Applications
- General Fabrication & Prototyping

WIDE RANGE OF APPLICATIONS



TECHNICAL SPECIFICATIONS

Material Type	: Polyethylene Terephthalate Glycol (PETG)
Density	: 1.27 g/cm ³
Tensile Strength	: 50 – 53 MPa
Impact Strength (Izod)	: 8 – 10 kJ/m ²
Flexural Strength	: 70 – 80 MPa
Heat Deflection Temp.	: 70 – 75°C
Vicat Softening Temp.	: 80 – 85°C
Water Absorption	: < 0.2%
Flammability	: HB (UL 94)
Food Contact	: FDA Compliant



KEY BENEFITS

- ✓ Crystal clear visibility
- ✓ High impact strength & durability
- ✓ Excellent thermoforming performance
- ✓ Good chemical & moisture resistance
- ✓ Easy to fabricate & machine
- ✓ Food contact safe & non toxic
- ✓ Lightweight & versatile
- ✓ Recyclable & environmentally friendly
- ✓ Cost effective & long lasting

INDUSTRIES SERVED


- Packaging Industry
- Food & Beverage Industry
- Medical & Healthcare Industry
- Retail & Display Industry
- Automotive Industry
- Electrical & Electronics Industry
- Pharmaceutical Industry
- Advertising & Signage Industry
- Furniture & Interior Industry
- General Manufacturing



CRYSTAL
CLEAR



HIGH IMPACT
STRENGTH



CHEMICAL
RESISTANT



EASY
THERMOFORMING



FOOD CONTACT
SAFE



UV RESISTANT
(LIMITED)



RECYCLABLE
MATERIAL



PREMIUM
QUALITY



RPA IMPEX
3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962



rpaimep2004@gmail.com



ALABASTER SHEETS

Premium quality Alabaster Sheets with a smooth translucent surface and excellent light diffusion. Ideal for backlit applications, ceilings, partitions, signage, lamps, furniture and a wide range of interior & architectural applications.

PRODUCT CODE

RPA-ALB-18

AVAILABLE THICKNESS (mm)

- 1.00 mm
- 1.50 mm
- 2.00 mm
- 3.00 mm
- 4.00 mm
- 5.00 mm
- 6.00 mm
- 8.00 mm
- 10.00 mm
- 12.00 mm

STANDARD SIZE (mm)

- 1220 x 2440 (4ft x 8ft)
- 1220 x 1830 (4ft x 6ft)
- 1220 x 3050 (4ft x 10ft)
- Other sizes available on request

AVAILABLE DESIGNS



EXCELLENT
LIGHT
DIFFUSION



HIGH
TRANSLUCENCY



DURABLE &
LONG LASTING



LIGHTWEIGHT &
EASY TO
HANDLE



EASY TO CUT
& FABRICATE



FIRE
RETARDANT



RECYCLABLE
& ECO FRIENDLY



FEATURES

- ☀️ Excellent Light Diffusion
- 👁️ High Translucency & Uniformity
- 👉 Smooth & Glossy Surface Finish
- 🔨 Impact & Crack Resistant
- 💧 Waterproof & Moisture Resistant
- 🧪 Chemical & Corrosion Resistant
- 🔥 Fire Retardant (Self Extinguishing)
- ✂️ Easy to Cut, Drill & Fabricate
- 🔧 Thermoformable
- ☀️ UV Resistant (Limited)
- 💡 Anti Yellowing
- ⌚ Low Maintenance
- 🌱 Environment Friendly
- ♻️ 100% Recyclable Material
- 🕒 Long Service Life



APPLICATIONS

- 🏠 Backlit Ceilings & Skylights
- 🏠 Backlit Wall Panels & Cladding
- 🏠 Retail Displays & Showrooms
- 🏠 Light Boxes & Signage
- 🏠 Partitions & Room Dividers
- 🏠 Hotel Lobbies & Reception Areas
- 🏠 Residential & Commercial Interiors
- 🏠 Kitchen & Bathroom Cabinets
- 🏠 Furniture, Tables & Counter Tops
- 🏠 Lamps, Shades & Decorative Lighting
- 🏠 Elevator Interiors & Louvers
- 🏠 SPA, Salons & Wellness Centers
- 🏠 Exhibition Stalls & Displays
- 🏠 Temples, Places of Worship
- 🏠 Architectural & Interior Projects

WIDE RANGE OF APPLICATIONS



TECHNICAL SPECIFICATIONS

Material Type	: Acrylic Based Alabaster Sheet
Density	: 1.18 – 1.20 g/cm ³
Light Transmittance	: 45 – 65%
Tensile Strength	: 60 – 70 MPa
Impact Strength (Izod)	: 2.5 – 3.5 kJ/m ²
Heat Deflection Temp.	: 85 – 95°C
Vicat Softening Temp.	: 100 – 110°C
Water Absorption	: < 0.3%
Fire Rating	: B2 (Optional)



KEY BENEFITS

- ✓ Beautiful natural alabaster look
- ✓ Superior light diffusion & translucency
- ✓ Enhances aesthetics of interiors
- ✓ Strong, durable & long lasting
- ✓ Resistant to moisture & chemicals
- ✓ Cost effective & low maintenance
- ✓ Easy fabrication & installation
- ✓ Suitable for indoor lighting & décor

INDUSTRIES SERVED

- 🏠 Architecture & Interior Design
- 🏠 Retail & Visual Merchandising
- 🏠 Hospitality & Resorts
- 🏠 Furniture & Furnishing
- 🏠 Signage & Advertising
- 🏠 Exhibition & Event Industry
- 🏠 Residential & Commercial Projects
- 🏠 Temples & Religious Institutions



EXCELLENT
LIGHT DIFFUSION




HIGH
TRANSLUCENCY



WATERPROOF &
MOISTURE RESISTANT



FIRE
RETARDANT



EASY TO CUT
& FABRICATE



DURABLE &
LONG LASTING



ECO FRIENDLY &
RECYCLABLE



PREMIUM
QUALITY



RPA IMPEX
3004, Gali No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055



+91 99990 31962




rpaimeex2004@gmail.com



LED DIFFUSER SHEET

Premium quality LED Diffuser Sheet designed to provide uniform light distribution, reduce glare and create soft, even illumination. Ideal for vase mode & fuzzy skin applications in architectural, decorative and commercial lighting.



PRODUCT CODE

RPA-DIF-19



UNIFORM LIGHT
DISTRIBUTION



REDUCES
GLARE



HIGH LIGHT
TRANSMITTANCE



IMPACT
RESISTANT



LIGHTWEIGHT
& EASY TO HANDLE



AVAILABLE TYPES



VASE MODE

Creates a vase-like light appearance with wide beam distribution.



FUZZY SKIN

Provides a soft, dot-free lighting effect with high uniformity.

AVAILABLE LENGTHS

- 1 Meter
- 2 Meter (Custom Available)

COMPATIBLE LED STRIP WIDTHS

- 8mm
- 10mm
- 12mm
- 16mm
- 20mm
- 24mm

AVAILABLE FINISH



Vase Mode
(Clear Patterned)



Fuzzy Skin
(Frosted)

★ FEATURES

- ☀ Uniform Light Distribution
- 👁 Reduces Glare & Eye Strain
- ⬢ High Light Transmittance
- ☺ Smooth & Soft Illumination
- 🛡 Impact & Crack Resistant
- ☀ UV Resistant (Limited)
- ✂ Easy to Cut, Drill & Install
- 🍃 Lightweight & Durable
- 🔥 Heat Resistant
- 🌈 Color Consistency
- 🕒 Long Service Life
- ♻ 100% Recyclable Material

⚙ APPLICATIONS

- 🏠 LED Light Boxes & Backlit Signage
- 🏠 False Ceilings & Panel Lights
- 🏠 LED Troffer & Batten Lights
- 🏠 Architectural & Cove Lighting
- 🏠 Retail Displays & Showrooms
- 🏠 Furniture & Decorative Lighting
- 🏠 Vase Mode Lighting Applications
- 🏠 Fuzzy Skin Lighting Applications
- 🏠 Corridor & Staircase Lighting
- 🏠 Hotels, Restaurants & Hospitality
- 🏠 Exhibition Stalls & Trade Shows
- 🏠 Residential Interior Lighting

WIDE RANGE OF APPLICATIONS



LIGHT BOXES



CEILING PANELS



COVE LIGHTING



ARCHITECTURAL LIGHTING



RETAIL DISPLAYS



RECORATIVE LIGHTING

TECHNICAL SPECIFICATIONS

Material	: Optical Grade PC
Light Transmittance	: 85 – 92% (Depending on Type)
Haze	: 15 – 30% (Fuzzy Skin)
Surface Finish	: Vase Mode / Fuzzy Skin
Operating Temp.	: -20°C to +70°C
UV Resistance	: Good (Limited)
Flammability	: V0 (Optional)



KEY BENEFITS

- ✓ Dot-free & uniform illumination
- ✓ Enhances aesthetics of lighting
- ✓ Reduces glare & harshness
- ✓ High durability & impact strength
- ✓ Easy installation & maintenance
- ✓ Suitable for indoor lighting
- ✓ Cost effective & long lasting
- ✓ Recyclable & eco friendly

INDUSTRIES SERVED

- 🏠 Signage & Advertising Industry
- 🏠 Architecture & Interior Design
- 🏠 Retail & Visual Merchandising
- 🏠 Electrical & Lighting Industry
- 🏠 Hospitality & Resorts
- 🏠 Exhibition & Event Industry
- 🏠 Furniture & Decor Industry
- 🏠 Residential & Commercial Projects



UNIFORM LIGHT
DISTRIBUTION



REDUCES
GLARE



HIGH LIGHT
TRANSMITTANCE



IMPACT
RESISTANT



LIGHTWEIGHT &
EASY TO HANDLE



FIRE
RETARDANT



RECYCLABLE &
ECO FRIENDLY



PREMIUM
QUALITY



RPA IMPEX
3004, Gall No. 2, Bazar Sangatrasan,
Chuna Mandi, Paharganj,
New Delhi - 110055 (India)



+91 99990 31962



rpaimex2004@gmail.com



ALUMINUM PROFILE

Premium quality aluminum profiles designed for LED strip lighting installations. Excellent heat dissipation, sleek finish and perfect protection for longer life and beautiful linear lighting applications.

PRODUCT CODE

RPA-ALP-20

AVAILABLE TYPES



SURFACE MOUNT

For wall, ceiling & furniture surface applications.



RECESSED MOUNT

For gypsum/plaster, wood or tile recessed installation.



CORNER MOUNT

For 90° corner lighting applications.



PENDANT / SUSPENDED

For suspended linear lighting solutions.



STAIR / STEP PROFILE

For step edge safety and decorative lighting.

AVAILABLE FINISHES



Silver Anodized



Black Anodized



White Powder Coated



EXCELLENT
HEAT DISSIPATION



STRONG &
DURABLE



SLEEK & MODERN
DESIGN



PERFECT LED STRIP
PROTECTION



EASY TO CUT
& INSTALL



CORROSION
RESISTANT



ANODIZED
FINISH



SURFACE MOUNT



RECESSED MOUNT

★ FEATURES

- High Quality Aluminum 6063-T5
- Excellent Heat Dissipation
- Protects LED Strip & Extends Life
- Sleek & Professional Finish
- Multiple Mounting Options
- Easy to Cut, Drill & Install
- Compatible with Most LED Strips
- Diffuser for Uniform Light Output
- Strong, Lightweight & Durable
- Corrosion & Rust Resistant
- Best for Residential & Commercial Projects

⚙️ APPLICATIONS

- Cove Lighting
- False Ceilings & Gypsum
- Kitchen Under Cabinet Lighting
- Wardrobe & Closet Lighting
- Staircase & Step Lighting
- Retail Display & Showcase Lighting
- Office & Commercial Lighting
- Architectural Linear Lighting
- Wall Washer & Accent Lighting
- Furniture & Shelf Lighting
- Outdoor & Landscape Lighting

TECHNICAL SPECIFICATIONS

Material	: Aluminum 6063-T5
Finish	: Silver / Black / White (Anodized / Powder Coated)
Length	: 1 Meter / 2 Meter / 3 Meter (Custom Available)
Diffuser	: PC / PMMA (Frosted / Clear / Opal)
Compatibility	: 8mm / 10mm / 12mm LED Strips
Installation	: Surface / Recessed / Corner / Suspended / Stair
Accessories	: End Caps, Mounting Clips, Suspension Kits

ACCESSORIES



End Caps

Mounting Clips

Suspension Kit

Connector

WIDE RANGE OF PROFILES



SURFACE PROFILE



RECESSED PROFILE



CORNER PROFILE



PENDANT PROFILE



DEEP SURFACE PROFILE



SLIM PROFILE



STAIR PROFILE



FLEXIBLE PROFILE



EXCELLENT
HEAT DISSIPATION



STRONG &
DURABLE



SLEEK & MODERN
DESIGN



PERFECT LED STRIP
PROTECTION



EASY TO CUT
& INSTALL



CORROSION
RESISTANT



ANODIZED
FINISH



PREMIUM
QUALITY



FABRIC PROFILE

High quality fabric profiles designed for seamless installation of stretch fabric light boxes and backlit displays. Lightweight, durable and perfect for creating elegant, frameless lighting solutions.

PRODUCT CODE

RPA-FAP-21



STRONG & DURABLE



LIGHTWEIGHT & EASY TO HANDLE



EASY TO CUT & INSTALL



PERFECT FABRIC TENSION



SLEEK & MODERN DESIGN



RUST & CORROSION RESISTANT



LONG LASTING PERFORMANCE

AVAILABLE TYPES



SINGLE SIDED PROFILE
For single sided fabric light boxes.



DOUBLE SIDED PROFILE
For double sided fabric light boxes.



CORNER PROFILE
For 90° seamless corner connection.



CURVED PROFILE
For curved and custom shape light boxes.

AVAILABLE FINISHES



Silver Anodized



Black Anodized



White Powder Coated

★ FEATURES

- Premium Grade Aluminum
- Excellent Fabric Grip
- Strong & Lightweight
- Easy to Cut, Drill & Assemble
- Sleek & Frameless Finish
- Perfect for LED Backlit Applications
- Rust & Corrosion Resistant
- Long Lasting & Durable
- Reusable & Eco Friendly
- Custom Sizes Available

⚙ APPLICATIONS

- Fabric Light Boxes
- LED Backlit Displays
- Retail Signage
- Exhibition Stalls & Booths
- Trade Show Displays
- Wall Mounted Displays
- Ceiling Light Panels
- Advertising Light Boxes
- Interior Decorative Lighting
- Branding & Promotion

TECHNICAL SPECIFICATIONS

Material	: Aluminum 6063-T5
Finish	: Silver / Black / White (Anodized / Powder Coated)
Profile Type	: Single Sided / Double Sided / Corner / Curved
Size (Width)	: 20mm / 30mm / 40mm / Custom
Length	: 1 Meter / 2 Meter / 3 Meter (Custom Available)
Application	: Fabric Light Box & Backlit Displays

ACCESSORIES



WIDE RANGE OF FABRIC PROFILES



RPA IMPEX

3004, Gali No. 2, Bazar Sangatrashan,
Chuna Mandi, Paharganj,
New Delhi - 110055, India



+91 99990 31962



rpaimeex2004@gmail.com





WHY CHOOSE RPA IMPEX?



PREMIUM QUALITY PRODUCTS

We source and supply only high-grade materials that meet industry standards.



EXTENSIVE PRODUCT RANGE

Over 21 product categories available under one roof.



COMPETITIVE PRICING

Best market rates without compromising on quality.



RELIABLE INVENTORY

Consistent stock availability for urgent requirements.



TIMELY DELIVERY

Fast and dependable supply across India.



EXPERT SUPPORT

Professional guidance for selecting the right materials.



CUSTOMER SATISFACTION

Long-term relationships built on trust and quality.

OUR STRENGTHS



Premium Materials



Wide Product Portfolio



Trusted Supplier Network



Multiple Thickness & Color Options



Professional Service



Nationwide Delivery



Bulk Supply Capability



Customized Solutions





RPA IMPEX

Premium Acrylic, Plastic &
Metal Sheet Solutions

CONTACT US



3004, Gali No. 2,
Bazar Sangatrashan,
Chuna Mandi, Paharganj,
New Delhi – 110055



+91 99990 31962



rpaimex2004@gmail.com



www.rpaimpex.com

Thank You!

for choosing

RPA IMPEX

as your trusted material supply partner.

We look forward to serving your requirements
with premium quality products, competitive
pricing and dependable service.

Your Trusted Partner for

Plastic, Acrylic & Metal Sheet Solutions



OUR PRODUCT RANGE

- Acrylic Sheets
- Mirror Sheets
- Polycarbonate Sheets
- ACP Panels
- PVC Sheets
- PS Sheets
- MDF Boards
- WPC Boards
- ABS Sheets
- PETG Sheets
- Alabaster Sheets
- LED Diffuser Sheets
- Stainless Steel Sheets
- Acrylic Rods
- Aluminum Profiles
- Fabric Profiles
- Signage & Display Sheets
- PVC Foam Board Sheets
- PS Mirror Sheets
- Industrial Plastic Materials
- And More...



PREMIUM QUALITY

Top grade materials
you can trust.



WIDE RANGE

All types & colors
available.



BEST PRICE

Competitive pricing
& best value.



ON-TIME DELIVERY

Timely delivery
across India.

PREMIUM QUALITY

WIDE RANGE

BEST PRICE

ON-TIME DELIVERY

Quality is Our Commitment, Customer Satisfaction is Our Priority.

Follow Us:

